



MOSO® Bamboo X-treme®

With MOSO® Bamboo X-treme® you can create a beautiful deck made of natural-grown bamboo, for your terrace, balcony, swimming pool area or other outdoor spaces. The truly ecological and durable alternative for increasingly scarce tropical hardwood offers you the touch, feel and look of a natural material. Bamboo X-treme® is available in a wide range of products including decking, cladding, fencing, and beams.

X-tremely beautiful 6



X-tremely durable 10



X-tremely stable 14



X-tremely versatile 18



X-tremely unique 23



X-tremely complete 24




X-tremely sustainable



26 **X-tremely proven** 31






X-tremely beautiful

Enrich your garden, balcony or roof area with MOSO® Bamboo X-treme®, the natural, fast growing alternative to hardwood. Similar to hardwood, you can determine the look depending on the finish you choose.





For more information about these references please go to page 28.





X-tremely durable



MOSO® Bamboo X-treme® is engineered to last a lifetime. Thanks to a special, unique, Thermo-Density® production process, it is very durable. The proof is the 4 million m² already installed in different climates all over the world.

www.moso-bamboo.com/durable





mo

X-tremely

tough conditions

High traffic, around swimming pools, near coastlines and in extreme climates.





For more information about these references please go to page 28.



X-tremely stable

MOSO® Bamboo X-treme® is very stable, enabling the use of hidden MOSO® Fasteners to fix the boards. It is even possible to create special patterns. The superior stability has another major advantage: it allows an end-match system to create any length without big gaps.



For more information about these references please go to page 28.





X-tremely versatile

MOSO® Bamboo X-treme® decking is available in different widths and thicknesses, depending on the finish and surface treatment a unique look can be created. The boards are available with different surfaces: flat, grooved, curved, rough sanded: just choose the one you like the best! In addition to Bamboo X-treme® Decking, we offer cladding and fencing boards. Bamboo X-treme® Beams can be used for custom made stairs, furniture and shutters.





For more information about these references please go to page 28.









X-tremely well made



Moso bamboo is one of the fastest growing plants on earth. The bamboo stems grow from an underground root system and after 4-5 years a stem can be harvested, while the others continue to grow. This means the bamboo can be used without destroying the forest. After harvesting, the Moso bamboo stems are split and the outer and inner skins are removed. By modifying the bamboo strands with a unique Thermo-Density® process, the dimensional stability of bamboo is improved by circa 50%. The heat-treatment at 200°C also ensures protection against superficial fungi and provides the highest durability class possible. After compressing the heat-treated bamboo strands, the material is stronger and harder than almost any other hardwood. That is why we call it: MOSO® Bamboo X-treme®.



split the Moso bamboo stems, remove the skins and crush the strips into

strands

modify the bamboo strands with a heattreatment at 200°C



compressing the strands into Thermo-Density® material



finally creating the final profile and surface



MOSO* Bamboo X-treme*: material more stable, harder and stronger than almost any other hardwood in the world!

X-tremely unique




hard & durable

Bamboo decking with Durability Class 1 (EN 350) tested following CEN/TS 15083-2 (simulated graveyard test). Exceptionally hard: Brinell >9.5 kg/mm².



high stability

Far more stable than bangkirai (yellow balau) and other tropical hardwoods - enabling tongue and groove endmatched installation (impossible with any other hardwood).



easy to install

Very easy to install and uninstall thanks to the fixed board length (1850 mm) and fixing with MOSO® Fasteners.



economical

Simple and fast installation: Up to 30% savings in costs! Reduced waste of material because of tongue and groove end-matched installation.



beautiful appearance

A beautiful, natural hardwood look. Choice of natural greying or keeping brown colour through maintenance.



CO₂ neutral

Official LCA and carbon footprint studies (ISO 14040/44) confirm that Bamboo X-treme* is CO₂ neutral over the full life cycle.



endless resource

Made from Moso bamboo, the fastest growing plant on earth. Each stem can be harvested after 4-5 years, and the plant continues to grow.



fire resistant

Achieves flame spread index Class A following US standard ASTM E84 and fire resistance class Bfl-s1 following EN 13501-1 facilitating application in public projects.



X-tremely complete



In addition to decking, MOSO® provides Bamboo X-treme® Sub frame joists, Fascia boards and maintenance products. With MOSO® Fasteners, no screws are visible on the boards which contributes to the beautiful appearance. Make use of the complete range to ensure the quality of the terrace.









X-tremely easy

check out the Bamboo X-treme® installation and maintenance movie at:

www.moso-bamboo.com/ youtube/x-treme

appearance and colour

MOSO® Bamboo X-treme® is a natural product, which can vary in colour. grain and appearance. Colour will change over time depending on the maintenance schedule. The boards have a brown to dark brown colour when installed, which turns into a lighter caramel colour several weeks after installation. Without further maintenance the colour gets greyish relatively fast (similar to most other wood species).

maintenance and cleaning

Under the influence of wind, rain, sun and snow the decking will weather. MOSO® recommends impregnating and maintaining the finished decking with Woca or Sikkens maintenance materials. It is recommended to finish the unfinished decking right after installation. Annual maintenance and cleaning should be performed using a cleaner and silicon carbide broom or machine disk (all maintenance products are available through MOSO®).

Board Curved








new, non-weathered deckina

of weathering

around swimming pools

As with any wooden product used outdoors, there is always a risk of splinters arising, however splinters from MOSO® Bamboo X-treme® are normally smaller than (tropical) hardwood splinters. A regular cleaning, maintenance, and application of oil (more frequently around swimming pools) is recommended to keep the surface smooth. The boards must be installed in such a way that the surface water cannot flow directly into the

Board Standard Groove / Flat











*) Ends of the boards are protected with Sikkens Kodrin WV 456 sealer

Product / Surface	Oiled Woca*	Sikkens Cetol*	Unfinished	Dimensions (mm)
Board Standard Groove/Flat	BO-DTHT171G	BO-DTHT171G-01	BO-DTHT170G	1850x137x20
Board Standard Groove/Flat	BO-DTHT371	BO-DTHT371-01	BO-DTHT370	1850x137x30
Board Standard Groove/Flat	BO-DTHT181G	BO-DTHT181G-01	BO-DTHT180G	1850x137x18
Board Standard Groove/Flat	BO-DTHT191G	BO-DTHT191G-01	BO-DTHT190G	1850x155x20
Board Curved	BO-DTHT191G-C	BO-DTHT191G-C-01	BO-DTHT190G-C	1850x155x20
Board V-groove/Rough Sanded	BO-DTHT191GV-R	BO-DTHT191GV-R-01	BO-DTHT190GV-R	1850x155x20
Board Standard Groove/Flat	BO-DTHT211G	BO-DTHT211G-01	BO-DTHT210G	1850x178x20
Sub frame joist			BO-SB155	2440x60x40
Fascia board Standard Groove/Flat	BO-DTHT163	BO-DTHT163-01	BO-DTHT162	1850x137x20

Product	Code	
Fastener Asymmetric with screw (20 mm)	CLIP-SCREW-BX08	
Fastener Asymmetric with screw (18 mm)	CLIP-SCREW-BX09	
Fastener Start/End Side/Top with screw (20 mm)	CLIP-SCREW-BX301	
Fastener Start/End Top with screw (20 mm)	CLIP-SCREW-BX801	









X-tremely sustainable



MOSO® Bamboo X-treme® offers clear sustainable advantages and is even proven to be CO₂ neutral over its full life cycle! The inclusion of Bamboo X-treme® contributes to a higher LEED, BREEAM and Green Star certification score for green building projects. That's one of the reasons why you can find MOSO® Bamboo X-treme® and other MOSO® products in many sustainable reference projects all over the world.


www.moso-bamboo.com/sustainability



unsurpassed growing speed

bamboo: the fastest growing plant in the world

Because of the fast growth, Moso bamboo is managed as an agricultural crop: the annual harvest of the 4 to 5-year-old stems - compared to 60-80 years for tropical hardwood! provides a steady annual income to farmers and stimulates the bamboo plant to reproduce even faster. Therefore, by default, no deforestation occurs with production of MOSO® Bamboo X-treme®, while large amounts of CO2 are captured in the bamboo forests and products (www.inbar.int/understandingbamboos-climatechange-potential).




For more information about this reference please go to page 28.

carbon footprint


MOSO® Bamboo X-treme®: CO2 neutral over full life cycle

MOSO® has conducted an LCA and carbon footprint study together with Delft University of Technology (TU Delft) and INBAR. The report (www.moso-bamboo.com/lca) concludes that all assessed MOSO® Products (all solid bamboo flooring, decking, beams, panels and veneer) are CO2 negative over the full life cycle ("cradle till grave"). In this result the high growth rate of Moso bamboo has not even been taken into account, and can be perceived as additional environmental benefit. The environmental impact of MOSO® Products, excluding carbon sequestration effect, was also published in an official Environmental Product Declaration (EPD) following EN 15804 (www.moso-bamboo.com/epd).



carbon storage in bamboo

biobased materials act as CO2 sinks Through photosynthesis, plants absorb carbon dioxide (CO₂) and convert it into glucose (building block for biomass) and oxygen. The CO₂ is stored in the material for the lifetime of the product, and even longer if the product is recycled into new, durable products. Due to the fast growth - and related high yields - Moso bamboo locks far more CO₂ in durable products compared to wood species. The locked amount of CO₂ can be calculated rather simply by looking at the density of the material and taking into account the biobased content. For example, Bamboo X-treme® locks almost 1.700 kg CO₂ per m³ of bamboo, which is the equivalent of the CO₂ emissions of 14.250 km driven by a mid-range car.



X-treme® references **Apartment Dror Golan**





Selvikbukta, Norway

Nordre Jarlsberg Brygge



Hotel Jakarta Amsterdam The Netherlands




BMW Solar Carport South Africa



Guggenheim Museum



Residential building Braunhubergasse 28 Vienna, Austria



Hard Rock Hotel Los Cabos Los Cabos, Mexico



Pharos The Netherlands



MOSO Bamboo Panels, Veneer & Beams

Lexus Lounge Belgium



Schiphol Airport The Netherlands



▶ www.moso-bamboo.com/garden-house

www.moso-bamboo.com/hotel-elena

SPEEHOUSE

D.S Blay Architectu Hotel Villa Elena

▶ www.moso-bamboo.com/spee

MOSO office Barcelona www.moso-bamboo.com/moso-barcelona

Renovation City Centre Leverkusen

Oxygen event complex

Venco Campus www.moso-bamboo.com/venco

Private Residence Buenos Aires, Argentina



Private Residences De Krijgsman Muiden, the Netherlands



Madrid International Airport



CityLife Shopping District



MOSO® Bamboo **Unlimited** Be inspired by hundreds of bamboo applications and countless projects made with a wide range of MOSO® bamboo products:

www.moso-bamboo.com/



about MOSO®

MOSO International was founded in the Netherlands in 1997. Since then, MOSO® has evolved to become the unchallenged **global market leader** in the development of innovative and sustainable bamboo products for interior and exterior applications.

There is no other company worldwide with an equally - and still expanding - **broad assortment** in **high quality** bamboo products. MOSO's head office, with the **biggest bamboo warehouse** in Europe, is located near Amsterdam. Furthermore, MOSO® has offices in Barcelona, Milan, Cape Town, Milford (USA), Dubai and Hangzhou (China). MOSO® works with several partner companies and leading distributors worldwide to **guarantee the availability** of MOSO® products in each region.

Besides MOSO® Bamboo Outdoor products, MOSO® offers a very broad assortment of **Bamboo Flooring**, **Panels**, **Beams**, **Veneer** and **Flexbamboo** in various sizes, thicknesses, colours and textures. These products are used worldwide in various applications ranging from wall covering, ceilings, window frames and doors to stairs, furniture and kitchens, providing an ideal combination with the MOSO® Outdoor assortment.

Furthermore, because of its expertise, MOSO® is able to develop **unique**, **customised bamboo solutions** for industrial clients, meeting exceptionally stringent requirements. Through its experience, innovative attitude and worldwide network, MOSO® is recognised as the **global A-brand** in bamboo products. The proof is the impressive list of references and clients such as Madrid Airport, BMW, AkzoNobel, Texaco, Guggenheim Museum, Rabobank, United Nations (FAO), and CitizenM Hotels. For an overview of our references and clients please visit our website: **www.moso-bamboo.com/references**









Headquarters:

Moso International B.V.

Adam Smithweg 2 1689 ZW Zwaag The Netherlands T+31 (0)229 265732 info@moso.eu

North America:

Moso North America Inc.

8400 B Remington Ave Pennsauken, NJ 08110 United States of America T: +1 855 343 8444 info@moso-bamboo.com

Gulf Cooperation Council (GCC) Countries:

Moso Middle East LLC

202 Al Mansour Bldg.
Damascus Road, Al Qusais
P.O. Box: 384421, Dubai
United Arab Emirates
T: +971 4 258 9337
contact@moso.ae

Spain, France, Portugal, North Africa, Latin America and Middle East:

Moso Europe S.L.U.

C/ Pau Claris, 83 - Principal 2ª 08010 Barcelona Spain T +34 (0)93 574 9610 contact@moso.eu

Sub-Saharan Africa:

Moso Africa Pty. Ltd.

7 Glosderry Road Kenilworth 7708 Cape Town South Africa T +27 2167 11214 contact@moso-bamboo.co.za

Italy:

Moso Italia S.R.L

Via Antonio Locatelli 86 20853 Biassono (MB) Italy

T +39 (0)39 900 5440 mosoitalia@moso.eu

www.moso-bamboo.com

